

GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

Public Servants – Panchayat Raj Engineering Department – Sri G.M. Nageswara Rao, the then Deputy Executive Engineer, Panchayat Raj, Rangampeta (Retired) on 31.07.2010 – Irregularities in Execution of work "Providing BT surface to the Road from GNT Road to Rajpudi of East Godavari District - Departmental proceedings under Rule 20 of Andhra Pradesh Civil Services (Classification, Control and Appeal) Rules 1991– Article of charges – Issued.

PANCHAYAT RAJ AND RURAL DEVELOPMENT (Vig.II) DEPARTMENT

G.O.Rt.No. 1781

Dated: 29-11-2011.
Read

G.O.Rt.No.1780, Panchayat Raj & Rural Development (Vig.II) Department,
Dated: 29.11.2011.

<<O>>

O R D E R:

It is proposed to hold an enquiry against Sri G.M. Nageswara Rao, the then Deputy Executive Engineer, Panchayat Raj, Rangampeta (Retired) on 31.07.2010 in accordance with the procedure laid down in Rule 20 of the Andhra Pradesh Civil Services (Classification, Control and Appeal) Rules 1991.

2. The substance of the imputations of misconduct or mis-behaviour in respect of which the enquiry is proposed to be held is set out in the enclosed statement of articles of charges (Annexure-I). A list of documents by which and a list of witnesses by whom, the articles of charge are proposed to be sustained are also enclosed (Annexure-II & III).

3. Sri G.M. Nageswara Rao, the then Deputy Executive Engineer, Panchayat Raj, Rangampeta (Retired) on 31.07.2010 is directed to submit a written statement of his defence before the disciplinary authority within (10) days of the receipt of this Government Order.

4. Sri G.M. Nageswara Rao, the then Deputy Executive Engineer, Panchayat Raj, Rangampeta (Retired) on 31.07.2010 is informed that an enquiry will be held only in respect of those article of charges as are not admitted. He should, therefore, specifically admit or deny each article of charge.

5. Sri G.M. Nageswara Rao, the then Deputy Executive Engineer, Panchayat Raj, Rangampeta (Retired) on 31.07.2010 is further informed that if he does not submit his written statement of defence on or before the time specified in para-3 above, further action will be processed based on the material available.

6. Attention of Sri G.M. Nageswara Rao, the then Deputy Executive Engineer, Panchayat Raj, Rangampeta (Retired) on 31.07.2010 is invited to Rule 24 of the Andhra Pradesh Civil Service (Conduct) Rules, 1964 under which no Government Servant shall bring or attempt to bring any political or outside influence to bear upon any superior authority to further his interest in respect of matters pertaining

-2-

to his service under the Government. If any representation is received on his behalf from another person in respect of any matter dealt within these proceedings, it will be presumed that he is aware of such a representation and that it has been made at his instance and action will be taken against him for violation of Rule. 24 of the Andhra Pradesh Civil Service (Conduct) Rules, 1964.

7. The receipt of Government Order shall be acknowledged.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

DR. RAJIV SHARMA
PRINCIPAL SECRETARY TO GOVERNMENT (PR)

To
Sri G.M. Nageswara Rao, the then Deputy Executive Engineer,
Panchayat Raj, Rangampeta (now retired).
through the Engineer-in-Chief, Panchayat Raj, Hyderabad.
The Engineer-in-Chief, Panchayat Raj, Hyderabad.
(with request to return the acknowledge copy and WSD)

Copy to:

The General Administration (V&E) Department, 128(954/V&E/E2/09-1)
The Secretary to Vigilance Commissioner,
Andhra Pradesh Vigilance Commission, Hyderabad.
SC/SF

//FORWARDED BY :: ORDER//

SECTION OFFICER

ANNEXURE-I

STATEMENT OF ARTICLES OF CHARGES FRAMED AGAINST SRI G.M. NAGESWARA RAO, THE THEN DEPUTY EXECUTIVE ENGINEER, RANGAMPET, RETIRED ON 31-07-2010 WHILE WORKING AS EXECUTIVE ENGINEER, PRI DIVISION, NARSIPATNAM.

CHARGE:

The said Sri G.M Nageswara Rao, the then Deputy Executive Engineer, Panchayat Raj, Rangampeta (Retired on 31-07-2010 while working as Executive Engineer) has executed poor quality of bitumen work and not check measured the earth work by taking levels independently for the work "Providing BT surface to the Road from GNT road to Road to Rajpudi of East Godavari Dist" for his personal gain, resulting loss to the Government, in contravening the Andhra Pradesh Civil Services Rules, 1964.

BASIS:-

The Vigilance and Enforcement vide Report No.128(954/V&E/E2/09-1), dt:13-10-10, have observed the following duly verified the work "Providing BT surface to the Road from GNT Road to Rajappudi of East Godavari District sanctioned Under PMGSY Grant on 04-02-2010.

The Administrative sanction for the work was accorded by the Government, Panchayat Raj and Rural Development Department vide G.O.Ms.1317, Dt 29.8.08 under PMGSY Phase -II for Rs. 223.80 lakhs. Technical sanction was accorded by the Chief Engineer (Panchayat Raj) PMGSY for Rs 223.80 lakhs vide T.S No.Nil/09-09,Dt 5.9.08. The period of completion of the work was 12 months i.e work to be completed by 06.01.2010 and as on the day of inspection of Vigilance and Enforcement officials (04/02/2010), the work was completed and an amount of Rs.1,84,16,927/- was paid to the contractor Sri G.Rambabu, Rajupalem for the executed works.

The Vigilance and Enforcement has verified work and stated that,

1. tests were conducted on sample of OGPC collected from road surface in Km 2, 4, 5 & 8 and revealed that there is deficiency in bitumen content of 18.57%, 44.43%, 45.61% and 52.83% respectively. As per the memo No.15320/Vig-I/2005-1,Dt 12.05.06 of Panchayat Raj and Rural Development (vig) Department, the deficiency in bitumen is more than 15% the work is to be totally rejected and re-laid.
2. Verification of LF books revealed that, the pre-levels and final levels were recorded by the Assistant Executive Engineer and by the Deputy Executive Engineer, without taking individually and he has not check measured the Earth work.

Thus, Sri G.M Nageswara Rao, the then Deputy Executive Engineer, Panchayat Raj (now Retired) has failed to discharge his legitimate duties and executed bad quality of BT Item of work in Kms 2, 4, 5 & 8, since the deficiency is more than 15% and also not check measured the earth work.

Hence the Charge

DR.RAJIV SHARMA
PRINCIPAL SECRETARY TO GOVERNMENT (PR)

SECTION OFFICER

ANNEXURE-II

**LIST OF DOCUMENTS BY WHICH THE ARTICLES OF CHARGES FRAMED
SRI G.M. NAGESWARA RAO, THE THEN DEPUTY EXECUTIVE ENGINEER,
RANGAMPET, RETIRED ON 31-07-2010 WHILE WORKING AS EXECUTIVE
ENGINEER, PRI DIVISION, NARSIPATNAM.**

--::--

Vigilance and Enforcement Report No.128 (954/V&E/E2/09-1),
dt:13-10-2001 from the General Administration (Vigilance & Enforcement)
Department.

DR.RAJIV SHARMA
PRINCIPAL SECRETARY TO GOVERNMENT (PR)

SECTION OFFICER

ANNEXURE-III

**LIST OF WITNESSES BY WHOM THE ARTICLES OF CHARGES FRAMED
SRI G.M. NAGESWARA RAO, THE THEN DEPUTY EXECUTIVE ENGINEER,
RANGAMPET RETIRED ON 31-07-2010 WHILE WORKING AS EXECUTIVE
ENGINEER, PRI DIVISION, NARSIPATNAM.**

- NIL -

DR.RAJIV SHARMA
PRINCIPAL SECRETARY TO GOVERNMENT (PR)

SECTION OFFICER